

EE 4755—Digital Design Using Hardware Description Languages

Midterm Exam Review

When / Where

Friday, 21 October 2016, 12:30-13:20 CDT

226 Tureaud Hall (Here)

Conditions

Closed Book, Closed Notes

Bring one sheet of notes (both sides), 216 mm \times 280 mm.

No use of communication devices.

Format

Several problems, short-answer questions.

Resources

Lecture slides and examples used in class: <http://www.ece.lsu.edu/koppel/v/ln.html>

Study Guides

Synthesis: <http://www.ece.lsu.edu/koppel/v/guides/syn.pdf>

Solved tests and homework: <http://www.ece.lsu.edu/koppel/v/prev.html>

Topics for Exam

Everything up to and including the counters in the sequential synthesis slides ...
... <http://www.ece.lsu.edu/koppel/v/2016/lsls-syn-seq.pdf>.

(The material on the sequential shifter is not included.)

Material in lecture slides and homework.

Study Recommendations

Study this semester's homework assignments. Similar problems may appear on the exam.

Study previous semesters' homework.

Solve Old Problems—memorizing solutions **is not the same** as solving.

Following and understanding solutions **is not the same as** solving.

Use the solutions for brief hints and to check your own solutions.

Course Material Areas

Verilog

The System Verilog language, including structural and behavioral code.

Synthesis

How hardware is inferred, mapped, and optimized from Verilog.

Digital Design

The functioning of the circuits covered in class.

How to design digital circuits.

Tools

Understand what simulation and synthesis tools do.

Verilog Topics

Objects

See <http://www.ece.lsu.edu/v/2016/1020-types.v.html>.

Object Types: *variable* v *net* objects.

Key difference:...

... variables are assigned, nets are driven (connected to something).

Data Types

Four-State Integer Types

Two-State Integer Types

Floating-Point Types

String Type

Integer Data Types

Four-State Integer Types: `logic`, `integer`, `time`.

Two-State Integer Types: `int`, `bit`, `byte`, `shortint`, `longint`.

Integer qualifiers: `signed`, `unsigned`.

Real Data Types

Real Types: `real`, `shortreal`.

Type punning: `$realtobits`, `$bitstoreal`, etc..

Arrays

Packed v. Unpacked Arrays

```
wire [7:0] e_pluribus_unum;
```

```
wire plain_array [7:0];
```

Element and bit numbering:

```
wire [7:0] color;
```

```
wire [0:7] colour;
```

Static, Dynamic, and Associative arrays.

Modules

Port and parameter declaration.

Module and primitive instantiation.

Object declarations.

Continuous `assign`.

Procedural code.

Generate statements.

Procedural Code

Execution of `initial`, `always`, `always_comb`, and `always_ff`.

Delays (*e.g.*, `#5`).

Event controls (*e.g.*, `@(posedge clk)`).

Blocking v. non-blocking assignment.

Elaboration and Generate Statements

<http://www.ece.lsu.edu/v/2016/1025-gen-elab.v.html>

Elaboration-time constants.

Difference between a module parameter and a port.

Emphases, Key Skills

Verilog—Key Skills

Given a design in one form, write design in another:

Explicit Structural

Implicit Structural

Synthesizable Behavioral

Logic Diagram

Use generate statements to interconnect modules.

Synthesis Key Skills

Given Verilog code:

Show inferred hardware (before optimization).

Show expected optimizations.

Logic Design Skills

Given a design, be able to:

Compute Cost

Compute Delay

Synthesis Topics

Synthesis Topics

Understand what is done during inference, optimization, technology mapping.

<http://www.ece.lsu.edu/v/2016/1040-syn.v.html>.

Inference of combinational logic.

<http://www.ece.lsu.edu/v/2016/1042-syn-comb.v.html>

<http://www.ece.lsu.edu/v/2016/1045-syn-comb-behav.v.html>

Inference of registers.

<http://www.ece.lsu.edu/v/2016/lslr-syn-seq.pdf>

Optimization of combinational logic.

Use of timing constraints in synthesis.

Digital Design Topics

Digital Design Topics

Common Components

Multiplexor

Binary Full Adder, Ripple Adder

Integer Equality and Magnitude Comparison

Common Component Skills

Show how to implement using basic gates.

Know how to optimize for special cases (a constant input, etc.).

Cost and Delay Estimation

Simple Cost Model

Cost of n -input AND and OR gates are $n - 1$ units.

Inverters (NOT gates) are free.

Delay of n -input gate is $\lceil \lg n \rceil$ units.

Tools

Synthesis (RTL Encounter).

```
read_hdl, elaborate
```

```
define_clock
```

```
synthesize -to_generic
```

```
synthesize -to_mapped
```

```
report area, timing
```