

EE 2720, Fall 05

HW#4

Due Friday Nov. 4, 2005 at 12:00
in my office please (under my door).

Friendly note 1: Friday Nov. 4 is a hard
deadline. I'll explain why in class. I am
still a friendly person!!

Friendly note 2: Soon, I will post HWs #
5, 6, 7 on web. Sometimes next week.

Friendly

Alex!

Enjoy your weekend!

Note: Please staple your homework

Pr. 1: Prove that theorem (T10) is a special case of theorem (T11). Look at hand-out #5 for theorems (T10), (T11).

Pr. 2: Use the theorems of switching algebra to simplify the following:

$$(a) F = W \cdot X \cdot Y \cdot Z \cdot (W \cdot X \cdot Y \cdot Z' + W \cdot X' \cdot Y \cdot Z + W' \cdot X \cdot Y \cdot Z + W \cdot X \cdot Y' \cdot Z)$$

$$(b) F = A \cdot B + A \cdot B \cdot C' \cdot D + A \cdot B \cdot D \cdot E' + A \cdot B \cdot C' \cdot E + C' \cdot D \cdot E$$

$$(c) F = M \cdot N \cdot O + Q' \cdot P' \cdot N' + P \cdot R \cdot M + Q' \cdot O \cdot M \cdot P' + M \cdot R$$

Pr. 3: Multiply out

$$(A+B+C') \cdot (A'+B'+D) \cdot (A'+C+D') \cdot (A+C'+D)$$

Hint: Use theorems (T8), (T8') } (look in hand-out #5 for (T8), (T8')) and the theorem of eq. (1) provided below:

$$(X+Y) \cdot (X'+Z) = X \cdot Z + X' \cdot Y \quad (1)$$

Start by applying (T8') first and then theorem of eq. (1) and (T8). It is easy.

What would happen if you were to multiply out using only (T8)?

↳ Next page

Pr. 4: Factor

$$W \cdot X \cdot Y' + W' \cdot X' \cdot Z + W \cdot Y' \cdot Z + W' \cdot Y \cdot Z'$$

Hint: Use the theorems (T8), (T8') (look in handout # 5 for (T8), (T8')) and the theorem of eq. (1) provided below:

$$(X+Y) \cdot (X'+Z) = X \cdot Z + X' \cdot Y \quad (1)$$

Start by applying (T8) first and then the theorem of eq. (1) and (T8'). With the hint I gave you it is not that difficult. I only got 4 sum terms. Try to get 4 sum terms.

Problem 5: Write the canonical sum and product for each of the following logic functions:

(a) $F = \sum_{X,Y} (1,2)$

(b) $F = \prod_{A,B} (0,1,2)$

(c) $F = \sum_{A,B,C} (2,4,6,7)$

(d) $F = \prod_{M,N,P} (0,1,3,6,7)$

(e) $F = X' + Y' \cdot Z'$ ~~XXXXXX~~

(f) $F = A' \cdot B + B' \cdot C + A$

this is X \rightarrow Next page \rightarrow

EE 2720, HW#4 cont.

Pr. 6: Write the canonical product for the following logic function: ③

$$F = (a+b) \cdot (a+c) \cdot (b+c).$$

You are not allowed to provide the canonical sum first and then convert it into canonical product. Hint: $X \cdot X' = 0$ and $X + 0 = X$. Now the problem is not difficult

Enjoy your HW
Friendly
Alex