

fr-1

Fall 1999 Final Exam Review

fr-1

When / Where

Alternate: Tuesday, 7 December, 15:00-17:00 (3 pm to 5 pm) CST, Room EE 117.

Original: Monday, 6 December, 10:00-12:00 CST, Room EE 145 (Here)

Conditions

Open Book, Open Notes

Bring any amount of books, notes, and other material ...
... as long as they can be carried 100 meters without stopping.

No communication devices.

Format

Two or three problems.

One set of short answers.

fr-1

EE 4720 Lecture Transparency. Formatted 10:37, 3 December 1999 from lslifr.

fr-1**fr-2**

Resources

Study recommendations: href = "<http://www.ee.lsu.edu/ee4720/exam.html>"

Solved tests and homework: href = "<http://www.ee.lsu.edu/ee4720/prev.html>"

Study Recommendations

Solve Old Problems

Memorizing solutions is not the same as solving.

Following and understanding solutions is not the same as solving.

Use the solutions for brief hints and to check your own solutions.

fr-2

EE 4720 Lecture Transparency. Formatted 10:37, 3 December 1999 from lslifr.

fr-2**fr-3**

Topics

fr-3

Introductory Material

ISA v. Implementation.

Technological Factors: Transistor speed and quantity, memory speed and size.

Different factors influencing ISA and implementation.

Design principles: Amdahl's law, locality.

CPU Performance Equation

Benchmark types.

Instruction Set Design

Data Types: What to include, what to leave out.

Basic integer and floating point

Packed types: BCD, integer, saturating integer.

Size choices.

fr-3

EE 4720 Lecture Transparency. Formatted 10:37, 3 December 1999 from lslifr.

fr-3**fr-4**

Memory and Register Organization: Why ≈ 32 registers?

Stack and accumulator architectures.

Memory/Memory, Register/Memory.

Addressing Modes: What they do, which ones to include.

Register, Immediate, Direct, Register Deferred (Register Indirect), Displacement, Indexed, Memory Indirect, Autoincrement, Autodecrement, Scaled.

fr-4

EE 4720 Lecture Transparency. Formatted 10:37, 3 December 1999 from lslifr.

fr-4

fr-5

fr-5

Control Transfer Instructions: Types, when to use.

Branch, Jump, Jump & Link, Call, Return

Format of displacements in instruction.

Specification of condition: condition code registers, integer registers, loop counter.

Delayed and predicated instructions; prediction hints.

Instruction Coding.

Fixed-length, variable-length, and bundled instructions.

Splitting of opcode field (as in DLX type-R instructions).

ISA Classifications: RISC, CISC, VLIW, Stack, Accumulator

Synthetic Instructions

fr-5

EE 4720 Lecture Transparency. Formatted 10:37, 3 December 1999 from lslifr.

fr-5

fr-6

fr-6

DLX

Classification: RISC

Goals: ISA should allow simple, high-speed implementation.

Instruction types.

Know how to read and write DLX programs.

Chapter-3 (Static Scheduled) DLX Implementations

Unpipelined Implementation

Pipelined Implementations

Basic (3-cycle branch delay).

One-cycle branch delay.

Bypassed.

fr-6

EE 4720 Lecture Transparency. Formatted 10:37, 3 December 1999 from lslifr.

fr-6

fr-7

fr-7

Hazard Definitions

For a Given Pipelined Implementations

Show pipeline execution diagrams.

Show register contents at any cycle.

Determine control hardware.

Determine CPI.

fr-7

EE 4720 Lecture Transparency. Formatted 10:37, 3 December 1999 from lslifr.

fr-7

fr-8

fr-8

Interrupts, Exceptions, Traps

Difference between interrupt, exception, trap.

Causes of exceptions, role of handler.

Privileged Mode.

Pipeline activity leading to execution of handler.

Vectored traps (using trap table).

Precise exceptions, achieving with floating-point operations.

fr-8

EE 4720 Lecture Transparency. Formatted 10:37, 3 December 1999 from lslifr.

fr-8

fr-9

fr-9

Long Latency Operations

Types of operations. (Floating point and maybe load.)

Degree of pipelining: Initiation interval, latency.

Detecting functional unit structural hazards.

Detecting WB structural hazards: reservation register.

Detecting and handling RAW hazards: ID-stage v. pre-WB stall.

Handling WAW hazards.

Instruction-Level Parallelism

Definition, analysis.

Dependency definitions.

Basic block definition.

fr-9

EE 4720 Lecture Transparency. Formatted 10:37, 3 December 1999 from lslif.

fr-9

fr-10

fr-10

Loop Unrolling

Dynamic Scheduling

Reservation stations.

Register Renaming

How renaming allows out-of-order execution.

Where registers get renamed.

Role of register map.

Register Names:

Reorder buffer entry number.

Reservation station number.

Physical register number.

fr-10

EE 4720 Lecture Transparency. Formatted 10:37, 3 December 1999 from lslif.

fr-10

fr-11

fr-11

Reorder Buffer

Normal Use

Issue: placement of instructions in reorder buffer.

Completion: updating reorder buffer entry

Commitment (retirement): removal from reorder buffer entry.

Recovery

Goal: Undo execution starting at some instruction.

Reasons: exception, branch misprediction.

Steps when register map backed up.

Steps when register map not backed up.

fr-11

EE 4720 Lecture Transparency. Formatted 10:37, 3 December 1999 from lslif.

fr-11

fr-12

fr-12

Load/Store Unit

Store/load ordering rules.

Load/store bypassing.

Multiple Issue

Superscalar

Duplication of Resources.

For n instructions / cycle: Fetch, decode, rename, writeback, commit.

For $< n$ instructions: load/store, floating-point units.

Added Complexity

Instruction fetch inefficiency.

Rules for fetching a new group.

fr-12

EE 4720 Lecture Transparency. Formatted 10:37, 3 December 1999 from lslif.

fr-12

VLIW

Difference with superscalar: instruction bundling.

Dependence information in bundles.

Branch Prediction

One-level branch prediction.

Two-level (gshare, gselect) branch-prediction.

Branch target prediction.

Branch folding.

Memory

Connection of memory devices.

Set-Associative Caches.