

EE 7722—GPU Microarchitecture

URL: <http://www.ece.lsu.edu/gp/>.

Offered by:

David M. Koppelman

345 ERAD, 578-5482, koppel@ece.lsu.edu, <http://www.ece.lsu.edu/koppel>

Office Hours: Monday - Friday, 14:00-15:00.

Prerequisites By Topic:

- Computer architecture.
- C++ and machine language programming.

Text

Papers, technical reports, etc. (Available online.)

Course Objectives

- Understand low-level *accelerator* (including GPU and many-core) organization.
- Be able to fine-tune accelerator codes based on this low-level knowledge.
- Understand issues and ideas being discussed for the next generation of accelerators.

Course Topics

- Performance Limiters (Floating Point, Bandwidth, etc.)
- Parallelism Fundamentals
- GPU Architecture and CUDA Programming
- GPU Microarchitecture (Low-Level Organization)
- Tuning based on machine instruction analysis.
- Many-Core Accelerator Xeon Phi Architecture and Microarchitecture
- Phi programming and tuning.

Midterm Exam, 35%

Fifty minutes in-class or take-home.

Final Exam, 35%

Two hours in-class or take-home.

Yes, it's cumulative.

Homework, 30%

Written and computer assignments.

Lowest grade or unsubmitted assignment dropped.

Material in Course Needed For:

- Those designing the next generation of accelerator chips.
- Those writing high-performance scientific programs.
- Those writing high-performance graphics programs.
- Those interested in future computer architectures.
- Compiler writers.

Course Resources


- Slides and other material via <http://www.ece.lsu.edu/gp/>
- Code examples in Git repository <git://svn.ece.lsu.edu/gp>
- Web site also has homework assignments, exams, grades, and other material.
- Announcements are on course home page and available as a Web (RSS) Feed.

Accelerator:

A specialized processor designed to work alongside a general-purpose processor (CPU).

Work is split between the different devices ...

... each does what it's best at.



Common Accelerator Types

- *GPU (Graphics Processing Unit)* — *E.g.*, NVIDIA Kepler K20
- *Many-Core CPU* — *E.g.*, Intel Xeon Phi
- *FPGA Accelerator* — *E.g.*, Nallatech PCIe-180

Example:

“Our computer was taking four days to compute the 48-hour forecast, so we bought a system with 3 accelerators: an NVIDIA K20c, a Xeon Phi, and a Nallatech board, all of these were given work that would have been performed by the general-purpose CPU, an Intel i7.”

GPU (Graphics Processing Unit):

A processor designed to execute a class of programs that includes 3D graphics and scientific computation using a large number of threads.

A Brief History

GPUs originally designed *only* for 3D graphics.

Large economies of scale made them cheap.

Resourceful scientific users disguised their work as 3D graphics.

GPU makers started supporting scientific and other non-graphical work.

GPU evolved into a second kind of processor, with 3D graphics just one application.

Current Status

Always used in systems needing 3D graphics, from cell phones to workstations.

Often used for scientific computation ...

... but acceptance has been slow due to difficulty of porting code.

GPU Product Examples

- NVIDIA GTX 780 — High-end GPU for home use.
- NVIDIA Kepler K20x — High-end GPU for non-graphical computing..
- AMD Radeon R9 — High-end GPU for home use.

Many-Core Processor:

A processor designed to execute a class of programs that includes 3D graphics and scientific computation using simple cores and wide vector units.

A Brief History

Long known that peak performance of small-core chip $>$ large-core chip of same area...
... the problem was parallelization.

Many research and one-off designs used chips filled with simple cores.

The inclusion of wide vector units meant few cores would be needed.

Idea used by Intel for a graphics chip, project Larrabbe.

Larrabbe re-targeted at scientific computing, product named Phi.

Current Status

Starting to be used for scientific/high-performance computation.

Not yet used elsewhere because of cost.

Many-Core Processor Examples

- Intel Xeon Phi — For scientific computing.
- Sun T2000 — Meant for server workloads.

FPGA (Field-Programmable Gate Array):

A chip that can be programmed to mimic a specific piece of digital hardware.

Suppose you have a design for a digital circuit.

You can fabricate an *ASIC* version ...

... and wait months for delivery ...

... and pay \$100k for the first chip, and pennies for the second, etc.

Or you can download the design into an FPGA...

... and have your part in seconds ...

... and pay a few dollars for the first chip, and for the second, etc.

ASICs v. FPGAs

ASICs used when:

- A large number of chips are needed.
- The design is not expected to change over the product lifetime.
- The highest performance is needed.
- The design is very large.

FPGAs used when:

- The design may change frequently or require updates.
- A part is needed quickly, perhaps as a prototype.

FPGA Accelerator:

An accelerator which creates custom hardware, at the time a program is run, which should execute parts of the code more efficiently than any general-purpose device.

Using an FPGA Accelerator

Programming an FPGA accelerator can be more like hardware design.

Methods to simplify programming are still in the research stage.

They work best for specialized applications ...
... rather than as an accelerator in a general-use facility.

Few high-performance computing facilities have FPGA accelerators.

Accelerators and this Course

GPU Accelerators

These will be covered because of their relative maturity and success.

Many-Core Accelerators

These will be covered because of the interest in the Phi ...

... and as an interesting contrast to the GPU's *many-thread* design.

FPGA Accelerators

Not covered because they are very different than GPUs and many-cores ...

... and because so far they are used in much more specialized settings.

Those interested in FPGA acceleration might look for high-level synthesis courses here.

Raw Performance Numbers

GPU: NVIDIA K20x

SP FP, 3950 GFLOPS; DP FP, 1310 GFLOPS; Off-Chip Bandwidth 250 GB/s

Many Core: Xeon Phi 7120 P

SP FP, 2416 GFLOPS; DP FP 1208 GFLOPS, Off-Chip Bandwidth 352 GB/s

CPU: Intel Xeon E7-8870. (Ten cores, 2.4 GHz, 128b vector insn.)

SP FP, 96 GFLOPS; DP FP 48 GFLOPS, Off-Chip Bandwidth ? GB/s

GPU and Phi v. CPU

GPU can execute floating-point operations at a faster rate.

GPU can read and write memory at a faster rate.

CPUs are easier to program.

CPUs can run certain programs faster.

Why GPUs are important.

They can do certain things much better than a CPU.

They have succeeded where many have failed.

May be only viable way of overcoming fundamental barriers to faster computation.

GPUs succeeded where many failed: Establishing a new computer architecture.

CPUs today share similar architecture.

Are designed for multiple uses: business, scientific.

Exceptions are minor: embedded.

In the past specialized architectures could be successful.

Cray supercomputers.

In most cases, different or specialized architectures failed:

Database machines.

LISP machines.

Alternatives failed because:

They were not that much faster.

Were very expensive to develop.

Market was small and so engineering big part of cost.

Reason GPUs succeeded:

First, their birth.

3D computer graphics is compute intensive. (Think frame rate.)

Need.

Graphics computation is well structured.

Facilitates development of specialized processor.

Amount of code relatively small.

Can be isolated in libraries.

Large market: Home computers, game consoles.

Can amortize development costs.

Their evolution to non-graphical use.

Computational characteristics of 3D graphics code shared by other types of programs.

GPUs could easily be modified to support non-graphical use.

CPU /GPU Similarities

Both run programs.

Machine languages are similar.

Both have instructions for integer and FP operations.

High-end chips are roughly same area, and draw same power.

GPU Incidental (and diminishing) Differences

Special hardware for *texture fetch and filtering* operations.

Special hardware for *interpolation*.

Trend is less specialized hardware.

GPU Important Performance Spec Differences

GPUs can do more FP operations per second.

GPUs can transfer more data per second.

GPU Programmability Differences

Extensive tuning required to achieve performance.

GPUs perform poorly on certain problems, regardless of tuning.